## Eye-Wash Bottle, Barikos

**Barikos KS**
Barikos KS and Mini Barikos KS are maintenance-free models of eye wash bottles. Containing water, they can be kept ready for use for at least two years in the sealed state. Both models are ideal for including within first aid boxes and sets. All above mentioned Barikos eyewash bottles comply with EN 15154-4.
A protective cover clips onto the spray head of the eye wash bottle thus preventing any leakage. The tamper-evident seal guarantees proper function.

**Barikos K**
Barikos and Barikos K are designed to be filled with clear water. If the user is likely to be operating an eyewash bottle when standing, we recommend the Barikos. The user need only incline his head slightly downwards, ensuring good contact with the spray head of the bottle. The Barikos K eyewash bottle (vol.620 ml) can be used immediately, even when the injured person is lying down. As soon as the bottle is tilted downwards, a patented sliding valve opens and the washing fluid reaches the spray head unhindered. The Mini Barikos eyewash bottle (vol.175ml) is designed for persons who are frequently present in different working areas.

All bottles with sliding valve are suitable for use with upright and with the downward spray head.

| Description | PK | Cat. No. | |
|---|---|---|---|
| Barikos KS, 620ml, filled | 1 | **9.005 009** | 1 |
| Mini Barikos KS, 175ml, filled | 1 | **9.005 008** | 2 |
| Barikos, 620ml, empty | 1 | **9.005 011** | |
| Mini Barikos, 175ml, empty | 1 | **9.005 020** | |
| Barikos K, 620ml, empty | 1 | **9.005 014** | |
| Barikos K / KS wall unit for 1 eye wash bottle, plastic coated steel wire | 1 | **9.005 015** | 3 |
| Barikos K / KS wall unit for 2 eye wash bottles, platic with transparent lid | 1 | **9.005 017** | 4 |
| Barikos K / KS wall unit for 1 eye wash bottle, platic with transparent lid | 1 | **6.076 057** | 5 |

1



9.005 009

2



9.005 008

3



9.005 015

4



9.005 017

5



6.076 057

## Eye Wash oculav Nit®

**oculav NIT® Eye Wash**
First aid eye wash sterile solution. 250 ml of sterile solution for eye wash treatment at the accident scene. Especially effective against eye injuries stemming from acid and caustic burns as well as pepper, CS and tear gases.
- Easy to dispense, providing gentle removal of foreign bodies
- Temperature-resistant, no contamination, maintenance-free
- One handed use
- According to MPG (German Act on Medical Devices) DIN EN 15154-4.
- can be stored for at least 3 years

**oculav NIT®-Box**
Orange plastic box, size 260 mm x 160 mm x 80 mm, with printed inscriptions and practical wall brackets. With 4 ready to use bottles oculav NIT® Eye Wash. The first-aid set for eye injuries contains DuOcul eye compresses, eye flaps, plaster strips, compress and disposable gloves.

6




9.005 001

7



9.005 002

| Description | PK | Cat. No. | |
|---|---|---|---|
| oculav NIT® Eye Wash, 250 ml bottle | 1 | **9.005 001** | 6 |
| oculav NIT®-Box with 4 x 250 ml bottles | 1 | **9.005 002** | 7 |

1




## 1 Eye Wash Ampoule QuickRinse Mini

NEW

*B-SAFETY*

- 4 disposable eye wash ampoules with 20 ml 0.9 % sterile sodium chloride
- Effective and hygienic eye wash
- Quick and easy help for rinsing dust and dirt out of the eyes
- At least 3 years shelf life on unopened ampoules
- A handy packaging which can be placed in the glove compartment, the tool box, in the bag, in a pocket, first aid kit etc.

| Description | PK | Cat. No. |
|---|---|---|
| QuickRinse mini, Eye wash ampoules, 4 x 20ml sterile 0.9 % NaCl | 4 | **6.270 978** |

2 3



9.733 794



6.240 397

## Eye Wash Bottle, 0.9 % NaCl, Sterile

*B-SAFETY*

- choice of 0.2 litre (washing time approx. 2 minutes) or 0.5 litre (washing time approx. 5 minutes) bottles
- Duo wash bottle for both eyes 1000 ml (washing time approx. 5 minutes)
- ergonomic eye cup - keeps the eyes open during application
- saline solution (0.9 %), conforming to the natural salinity of the eye
- according to DIN EN 15154-4
- CE-marked
- shelf life: 3 years

Applications:
- mobile application
- transportation of dangerous goods acc. GGVS
- emergency medication
- First-aid boxes
- refill unit for eye wash emergency station
- NEW: eye wash bottle DUO for simultaneous washing of both eyes

| Description | PK | Cat. No. |
|---|---|---|
| Eye wash bottle 0,9 % NaCl, 200 ml | 1 | **9.733 794** 2 |
| Spare eyewash bottle, 0,9 % NaCl, 500 ml | 1 | **9.733 793** |
| Eye wash bottle DUO 0,9 % NaCl, 1000 ml | 1 | **6.240 397** 3 |

4 5



9.733 788



9.733 817

## Eye Wash Bottle pH-Neutral

A small, handy bottle containing 4.9 % sterile phosphate buffer solution, that neutralises the eye's fluid after accidents involving acids and alkalies.
- shelf life: 3 years
- rinsing time: about 2 minutes
- according to DIN EN 15154-4

Applications:
- mobile application
- emergency medication
- First-aid boxes
- refill unit for eye wash emergency station

NEW: eye wash bottle DUO for simultaneous washing of both eyes.

| Description | PK | Cat. No. |
|---|---|---|
| Eye wash bottle, pH neutral, 200 ml, single | 1 | **9.733 788** 4 |
| Eye wash bottle pH neutral DUO, 500 ml | 1 | **9.733 817** 5 |

6




## 6 Eye Wash Emergency Station DUO

*B-SAFETY*

For parallel treatment of both eyes. With one pH neutral DUO eye wash bottle with 500 ml sterile phosphate buffer solution (4.9 %) and one DUO eye wash bottle with 1000 ml sterile sodium chloride solution (0.9 %). With wall mounting, enclosed piktogram and mirror. Instructions included. Especially suitable for workplaces where chemicals and contaminents can penetrate the eye. Advice: Also after treatment with pH neutral solution continued flushing until medical treatment with sodium chloride solution is recommeded. Shelf life: 3 years. According to DIN EN 15154-4:2009.

| Description | PK | Cat. No. |
|---|---|---|
| Eye wash emergency station DUO | 1 | **9.733 816** |
| Eye wash bottle DUO, pH neutral , 500 ml | 1 | **9.733 817** |
| Eye wash bottle sodium chloride solution DUO, 1000 ml | 1 | **6.240 397** |

## 3 Eye Wash Emergency Station, Wall-Mounting

*B-SAFETY*

A dust-proof wall mounted station containing one bottle 200 ml sterile phosphate buffer solution and one bottle 500ml sterile sodium chloride solution complete with instructions and a mirror or eye wash emergency station DUO with one bottle 500 ml sterile phosphate buffer solution and one bottle 1000 ml sterile sodium chloride solution. Especially suitable for workplaces where on the spot rinsing is required, smaller workplaces. Bottles according to DIN EN 15154-4.

| | |
|---|---|
| Dimensions eye wash station (W x D x H): | 227 x 110 x 265 mm |
| Dimensions eye wash station DUO (W x D x H): | 250 x 115 x 355 mm |
| Durability: | 3 years |
| Flush time: | about 7 minutes |

1



9.733 787

2



6.253 311

3



| Description | PK | Cat. No. |
|---|---|---|
| Eye wash emergency station, wall-mounting | 1 | **9.733 787** 1 |
| Eye wash emergency station DUO, for both eyes, wall-mounting | 1 | **6.253 311** 2 |
| Eye wash bottle, pH-neutral, 200 ml | 1 | **9.733 788** |
| Eye wash bottle DUO, pH neutral , 500 ml | 1 | **9.733 817** |
| Eye wash bottle, 0,9 % NaCl, 500 ml | 1 | **9.733 793** |
| Eye-wash bottle DUO, 0,9 % NaCl, 1000 ml | 1 | **6.240 397** |

## 4 Mini Eyewash Station EyesFresh

*Bürkle*

Ideal for the lab, filling stations or all work places where aggressive substances are used. "Eyes Fresh" can be attached to any standard cold water tap. For normal use of the tap, just press the button and the function changes back from the eye wash (returns automatically to eyewash-function when the tap is closed). Can be fitted onto taps with M22x1, 1/2" or 3/8" outer thread.

4



| Description | PK | Cat. No. |
|---|---|---|
| Mini eyewash station EyesFresh | 1 | **6.076 887** |

## Hand-Held Drench Hoses

*B-SAFETY*

Two sprays in one. The hose can be used as a fixed eyewash when fitted into the mount. This allows the injured person to use both hands to hold open the eyes. The hose can also be removed from the mount so that other body parts and reclining patients can be treated.

- For wall and table mounting
- Wall-/ table mount included
- according to DIN 1988 und DIN EN 1717
- according to DIN EN 15154-2:2006 and ANSI Z358.1-2004
- DIN-DVGW tested and certificated
- DIN certification label included
- The spray heads ensure a wide distribution of water so that areas around the eyes are also covered and the exact positioning of the eyes is therefore not critical
- Large holes in the spray heads protect against limescale. The spray heads can be removed for cleaning purposes
- Rubber shrouds on the nozzles help prevent accidental injury
- Self-closing valve with squeeze lever operation
- Lightweight dust caps fall off automatically on operation
- Integral jet regulator keeps the water jet constant independent of the water pressure
- Built-in non-return valve prevents any backflow of contaminated water

5



9.733 779

6



9.733 786

| | |
|---|---|
| Spray height: | 250 mm |
| Hose length: | 1500 mm |
| Connection: | 1/2" swivel nut |
| Water output: | 7 litres/min per spray head, regulated |
| Inlet fitting: | M 28 x 80 mm |

| Description | Connection | PK | Cat. No. |
|---|---|---|---|
| 1 spray head, 45° angle | ½" female | 1 | **9.733 778** |
| 2 spray heads, 45° angle | ½" female | 1 | **9.733 779** 5 |
| 1 spray head, vertical | ½" female | 1 | **9.733 786** 6 |

## 1 Safety Eye Showers

*B-SAFETY*

- With two high performance spray heads
- Dust caps, which open automatically on operation, protect against dirt inside the spray heads
- Rubber sleeves protect the person seeking help against further injuries
- Table and wall mounting bracket
- Stainless steel covered hose 1500 mm
- Flow rate: 7 liter/minute/spray head
- Integrated flow regulation which guarantees uniform jet of water independent from water pressure
- According to ANSI Z358.1-2004 and DIN EN 15154-2:2006
- DIN-DVGW tested and certified

| Description | Connection | Attachment | PK | Cat. No. | |
|---|---|---|---|---|---|
| with two spray heads 45° | ½" female | Table mounted | 1 | **6.254 947** | 2 |
| with two spray heads 45° | ½" female | Wall mounted | 1 | **9.733 819** | 3 |
| stainless steel bowl | ¾" female | Wall mounted, exposed pipework | 1 | **7.653 251** | 4 |

1



2




6.254 947

3




9.733 819

4




7.653 251

5



9.733 810

## Body Showers/Emergency Showers

*B-SAFETY*

Special showering heads ensure that large water quantities in gentle streams reaches the injured person without damaged the injured skin.

- The showers meet EN 15154-1:2006
- DIN-DVGW tested and certified
- Marked sign according to DIN is included
- Large dimensioned maintenance-free ball tap for large throughput quantities
- Throughput quantity: approx. 60 litres/min.
- Simple assembly
- Stable structure
- Chemical-resistant PE powder painting
- High speed showering heads made from plastic, with improved spray battern. Corrosion resistant, calcify- and maintenance free, very durable, even emptying.
- Large, easy-to-use release bar
- Comes with all mounting materials
- Connection 3/4"

| Inlet | Length mm | Attachment | PK | Cat. No. | |
|---|---|---|---|---|---|
| Surface mount | 625 | Wall flange | 1 | **9.733 810** | 5 |
| Concealed mount | 625 | Wall/60 mm - ¾" pipe | 1 | **9.733 811** | |
| Surface mount | 565 | Over door wall flange | 1 | **9.733 812** | |

6



## 6 Safety Shower Test Cart, Tank Capacity 30 litres, Mobile

*B-SAFETY*

With the safety shower test cart you can keep the monthly required functional test simple and easy.

- mobile collecting tray equipped with 4 roles made of black plastics
- two integrated grip recesses
- one drain screw
- funnel made of black plastics, diameter 440 mm, height 160 mm
- total height 2100 mm
- pipe material aluminium 47 mm, pluggable
- tank capacity 30 litre
- total weight 7 kg
- detachable in 3 parts for simple storage

| Description | PK | Cat. No. |
|---|---|---|
| Safety shower test cart | 1 | **7.656 739** |


GHS warning labels - please see page 236





E & OE.