



## Dräger Tubes Measurement-System

### Dräger-Tubes®

Each order number refers to one box of tubes.  
Usually one box contains ten tubes. In other cases  
the number in brackets behind the name of the tube  
indicates the measurements per box.

For the Dräger-tubes the standard measuring range is  
mentioned. For a possible measuring range extension,  
please have a look into the instruction for use.  
The indicated measurement time relates regarding the  
Tubes for short term measurements to the stated  
numbers of strokes for the particular tube. If the  
measurement time is less than 1 Minute, it will be stated  
with the abbreviation "s" in seconds.



| Dräger-Tubes<br>Description                                            | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Acetaldehyde 100/a                                                     | 100 - 1,000 ppm                                       | 5                                  | 6726665    |
| Acetic Acid 5/a                                                        | 5 - 80 ppm                                            | 30 s                               | 6722101    |
| Acetone 40/a (5)                                                       | 40 - 800 ppm                                          | 1                                  | 8103381    |
| Acetone 100/b                                                          | 100 - 12,000 ppm                                      | 4                                  | CH22901    |
| Acid Test                                                              | qualitative                                           | 3 s                                | 8101121    |
| Acrylonitrile 0.2/a                                                    | 0.2 - 4 ppm                                           | 4                                  | 8103701    |
| Activation tube for use in conjunction with<br>Formaldehyde 0.2/a tube |                                                       |                                    | 8101141    |
| Amine-Test                                                             | qualitative                                           | 5 s                                | 8101061    |
| Ammonia 0.25/a                                                         | 0.25 - 3 ppm                                          | 1                                  | 8101711    |
| Ammonia 2/a                                                            | 2 - 30 ppm                                            | 1                                  | 6733231    |
| Ammonia 5/a                                                            | 5 - 70 ppm                                            | 1                                  | CH20501    |
|                                                                        | 50 - 600 ppm                                          | 6 s                                |            |
| Ammonia 5/b                                                            | 5 - 100 ppm                                           | 10 s                               | 8101941    |
| Ammonia 0.5%/a                                                         | 0.5 - 10 Vol.-%                                       | 20 s                               | CH31901    |
| Aniline 0.5/a                                                          | 0.5 - 10 ppm                                          | 4                                  | 6733171    |
| Aniline 5/a                                                            | 1 - 20 ppm                                            | 3                                  | CH20401    |
| Arsine 0.05/a                                                          | 0.05 - 3 ppm                                          | 6                                  | CH25001    |
| Benzene 0.25/a                                                         | 0.25 - 2 ppm                                          | 5                                  | 8103691    |
|                                                                        | 2 - 10 ppm                                            | 1                                  |            |
| Benzene 2/a (5)                                                        | 2 - 60 ppm                                            | 8                                  | 8101231    |
| Benzene 5/a                                                            | 5 - 40 ppm                                            | 3                                  | 6718801    |



| Dräger-Tubes<br>Description       | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|-----------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Benzene 5/b                       | 5 - 50 ppm                                            | 8                                  | 6728071    |
| Benzene 15/a                      | 15 - 420 ppm                                          | 4                                  | 8101741    |
| BTX (Toluene 5/b)                 | 50 - 300 ppm                                          | 1                                  | 8101661    |
|                                   | 5 - 80 ppm                                            | 5                                  |            |
| Carbon Dioxide 100/a              | 100 - 3,000 ppm                                       | 4                                  | 8101811    |
| Carbon Dioxide 0.1%/a             | 0.5 - 6 Vol.-%                                        | 30 s                               | CH23501    |
|                                   | 0.1 - 1.2 Vol.-%                                      | 2.5                                |            |
| Carbon Dioxide 0.5%/a             | 0.5 - 10 Vol.-%                                       | 30 s                               | CH31401    |
| Carbon Dioxide 1%/a               | 1 - 20 Vol.-%                                         | 30 s                               | CH25101    |
| Carbon Dioxide 5%/A               | 5 - 60 Vol.-%                                         | 2                                  | CH20301    |
| Carbon Disulphide 3/a             | 3 - 95 ppm                                            | 2                                  | 8101891    |
| Carbon Disulphide 5/a             | 5 - 60 ppm                                            | 3                                  | 6728351    |
| Carbon Disulphide 30/a            | 0.1 - 10 mg/L                                         | 1                                  | CH23201    |
| Carbon Monoxide 2/a               | 2 - 60 ppm                                            | 4                                  | 6733051    |
| Carbon Monoxide 5/c               | 100 - 700 ppm                                         | 30 s                               | CH25601    |
|                                   | 5 - 150 ppm                                           | 2.5                                |            |
| Carbon Monoxide 8/a               | 8 - 150 ppm                                           | 2                                  | CH19701    |
| Carbon Monoxide 10/b              | 100 - 3,000 ppm                                       | 20 s                               | CH20601    |
|                                   | 10 - 300 ppm                                          | 4                                  |            |
| Carbon Monoxide 0.3%/b            | 0.3 - 7 Vol.-%                                        | 30 s                               | CH29901    |
| Carbon Tetrachloride 0.1/a        | 0.1 - 5 ppm                                           | 2.5                                | 8103501    |
| Carbon Tetrachloride 1/a          | 1 - 15 ppm                                            | 10                                 | 8101021    |
| Chlorine 0.2/a                    | 0.2 - 3 ppm                                           | 3                                  | CH24301    |
|                                   | 3 - 30 ppm                                            | 30 s                               |            |
| Chlorine 0.3/b                    | 0.3 - 5 ppm                                           | 8                                  | 6728411    |
| Chlorine 50/a                     | 50 - 500 ppm                                          | 20 s                               | CH20701    |
| Chlorine Dioxide 0.025/a specific | 0.025 - 0,1 ppm                                       | 7.5                                | 8103491    |
|                                   | 0,1 - 1 ppm                                           | 2.5                                |            |
| Chlorobenzene 5/a (5)             | 5 - 200 ppm                                           | 3                                  | 6728761    |
| Chloroform 2/a (5)                | 2 - 10 ppm                                            | 9                                  | 6728861    |
| Chloroformates 0.2/b              | 0.2 - 10 ppm                                          | 3                                  | 6718601    |
| DT Chloromethane 10/a             | 10 - 75 ppm                                           | 1.5                                | 8103911    |
| Chloroprene 5/a                   | 5 - 60 ppm                                            | 3                                  | 6718901    |
| Chloropicrine 0.1/a               | 0.1 - 2 ppm                                           | 7.5                                | 8103421    |
| Chromic Acid 0.1/a (9)            | 0.1 - 0.5 mg/m <sup>3</sup>                           | 8                                  | 6728681    |
| Cyanide 2/a                       | 2 - 15 mg/m <sup>3</sup>                              | 2                                  | 6728791    |
| Cyanogen Chloride 0.25/a          | 0.25 - 5 ppm                                          | 5                                  | CH19801    |
| Cyclohexane 40/a                  | 40 - 200 ppm                                          | 75 s                               | 8103671    |
|                                   | 500 - 3000 ppm                                        | 15 s                               |            |
| Cyclohexylamine 2/a               | 2 - 30 ppm                                            | 4                                  | 6728931    |
| Diesel Fuel                       | 25 - 200 mg/m <sup>3</sup>                            | 30 s                               | 8103475    |
| Diethyl Ether 100/a               | 100 - 4,000 ppm                                       | 3                                  | 6730501    |
| Dimethyl Formamide 10/b           | 10 - 40 ppm                                           | 3                                  | 6718501    |
| Dimethyl Sulphate 0.005/c (9)     | 0.005 - 0.05 ppm                                      | 50                                 | 6718701    |
| Dimethyl Sulphide 1/a (5)         | 1 - 15 ppm                                            | 15                                 | 6728451    |
| Epichlorhydrin 5/b                | 5 - 80 ppm                                            | 8                                  | 6728111    |
| Ethanol 100/a                     | 100 - 3000 ppm                                        | 1.5                                | 8103761    |



| Dräger-Tubes<br>Description                                            | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|------------------------------------------------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Ethyl Acetate 200/a                                                    | 200 - 3,000 ppm                                       | 5                                  | CH20201    |
| Ethyl Benzene 30/a                                                     | 30 - 400 ppm                                          | 2                                  | 6728381    |
| Ethylene 0.1/a (5)                                                     | 0.2 - 5 ppm                                           | 30                                 | 8101331    |
| Ethylene 50/a                                                          | 50 - 2,500 ppm                                        | 6                                  | 6728051    |
| Ethylene Glycol 10 (5)                                                 | 10 - 180 mg/m <sup>3</sup>                            | 7                                  | 8101351    |
| Ethylene Oxide 1/a (5)                                                 | 1 - 15 ppm                                            | 8                                  | 6728961    |
| Ethylene Oxide 25/a                                                    | 25 - 500 ppm                                          | 6                                  | 6728241    |
| Ethyl Glycol Acetate 50/b                                              | 50 - 700 ppm                                          | 3                                  | 6726801    |
| Fluorine 0.1/a                                                         | 0.1 - 2 ppm                                           | 5                                  | 8101491    |
| Formaldehyde 0.2/a                                                     | 0.2 - 2.5 ppm                                         | 1.5                                | 6733081    |
|                                                                        | 0.5 - 5 ppm                                           |                                    |            |
| Activation Tube for use in<br>conjunction with Formaldehyde 0.2/a tube |                                                       |                                    | 8101141    |
| Formaldehyde 2/a                                                       | 2 - 40 ppm                                            | 30 s                               | 8101751    |
| Formic Acid 1/a                                                        | 1 - 15 ppm                                            | 3                                  | 6722701    |
| Halogenated                                                            | 100 - 2,600 ppm                                       | 1                                  | 8101601    |
| Hydrocarbons 100/a (8)                                                 |                                                       |                                    |            |
| Hexane 10/a                                                            | 10 - 200 ppm                                          | 5                                  | 8103681    |
|                                                                        | 300 - 2,500 ppm                                       | 1                                  |            |
| Hydrazine 0.01/a                                                       | 0.01 - 0.4 ppm                                        | 20                                 | 8103351    |
|                                                                        | 0.5 - 0.6 ppm                                         | 1                                  |            |
| Hydrazine 0.25/a                                                       | 0.25 - 10 ppm                                         | 1                                  | CH31801    |
|                                                                        | 0.1 - 5 ppm                                           | 2                                  |            |
| Hydrocarbon 2/a                                                        | 2 - 24 mg/L                                           | 5                                  | 8103581    |
| Hydrocarbon 0.1%/c                                                     | 0.1 - 1.3 Vol.-%                                      | 2                                  | 8103571    |
| Hydrochloric Acid 0.2/a                                                | 0.2 - 3 ppm                                           | 2                                  | 8103481    |
|                                                                        | 3 - 20 ppm                                            | 40 s                               |            |
| Hydrochloric Acid 1/a                                                  | 1 - 10 ppm                                            | 2                                  | CH29501    |
| Hydrochloric Acid 50/a                                                 | 500 - 5,000 ppm                                       | 30 s                               | 6728181    |
|                                                                        | 50 - 500 ppm                                          | 4                                  |            |
| Hydrochloric Acid /Nitric Acid 1/a                                     |                                                       |                                    | 8101681    |
| - Hydrochloric Acid                                                    | 1 - 10 ppm                                            | 1.5                                |            |
| - Nitric Acid                                                          | 1 - 15 ppm                                            | 3                                  |            |
| Hydrocyanic Acid 0.5/a                                                 | 0.5 - 5 ppm                                           | 2,5                                | 8103601    |
|                                                                        | 5 - 50 ppm                                            | 0,5                                |            |
| Hydrogen 0.2%/a                                                        | 0.2 - 2.0 Vol.-%                                      | 1                                  | 8101511    |
| Hydrogen 0.5%/a                                                        | 0.5 - 3.0 Vol.-%                                      | 1                                  | CH30901    |
| Hydrogen Fluoride 0.5/a                                                | 0.5 - 15 ppm                                          | 2                                  | 8103251    |
|                                                                        | 10 - 90 ppm                                           | 25 s                               |            |
| Hydrogen Fluoride 1.5/b                                                | 1.5 - 15 ppm                                          | 2                                  | CH30301    |
| Hydrogen Peroxide 0.1/a                                                | 0.1 - 3 ppm                                           | 3                                  | 8101041    |
| Hydrogen Sulphide 0.2/a                                                | 0.2 - 5 ppm                                           | 5                                  | 8101461    |
| Hydrogen Sulphide 0.2/b                                                | 0.2 - 6 ppm                                           | 55 s                               | 8101991    |
| Hydrogen Sulphide 0.5/a                                                | 0.5 - 15 ppm                                          | 6                                  | 6728041    |
| Hydrogen Sulphide 1/c                                                  | 10 - 200 ppm                                          | 20 s                               | 6719001    |
|                                                                        | 1 - 20 ppm                                            | 3                                  |            |
| Hydrogen Sulphide 1/d                                                  | 10 - 200 ppm                                          | 1                                  | 8101831    |
|                                                                        | 1 - 20 ppm                                            | 10                                 |            |



| Dräger-Tubes<br>Description                         | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|-----------------------------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Hydrogen Sulphide 2/a                               | 20 - 200 ppm                                          | 20 s                               | 6728821    |
|                                                     | 2 - 20 ppm                                            | 3.5                                |            |
| Hydrogen Sulphide 2/b                               | 2 - 60 ppm                                            | 30 s                               | 8101961    |
| Hydrogen Sulphide 5/b                               | 5 - 60 ppm                                            | 4                                  | CH29801    |
| Hydrogen Sulphide 100/a                             | 100 - 2,000 ppm                                       | 30 s                               | CH29101    |
| Hydrogen Sulphide 0.2%/A                            | 0.2 - 7 Vol.-%                                        | 2                                  | CH28101    |
| Hydrogen Sulphide 2%/a                              | 2 - 40 Vol.-%                                         | 1                                  | 8101211    |
| Simultan. Tube H2S + SO2 0.2%/a                     | 0.2 - 7 Vol.-%                                        | 2                                  | CH28201    |
| Iodine 0.1/a                                        | 1 - 5 ppm                                             | 1                                  | 8103521    |
|                                                     | 0.1 - 0.6 ppm                                         | 5                                  |            |
| i-Propanol 50/a                                     | 50 - 4000 ppm                                         | 2.5                                | 8103741    |
| Mercaptan 0.1/a                                     | 0.1 - 2.5 ppm                                         | 3                                  | 8103281    |
|                                                     | 3 - 15 ppm                                            | 40 s                               |            |
| Mercaptan 0.5/a                                     | 0.5 - 5 ppm                                           | 5                                  | 6728981    |
| Mercaptan 20/a                                      | 20 - 100 ppm                                          | 2.5                                | 8101871    |
| Mercury Vapour 0.1/b                                | 0.05 - 2 mg/m <sup>3</sup>                            | 10                                 | CH23101    |
| Methanol 20/a                                       | 20 - 250 ppm                                          | 6                                  | 8103801    |
|                                                     | 200 - 5000 ppm                                        | 2                                  |            |
| Methyl Acrylate 5/a                                 | 5 - 200 ppm                                           | 5                                  | 6728161    |
| Methyl Bromide 0.1/a                                | 0.1 - 5 ppm                                           | 10                                 | 3706301    |
| Methylene Chloride 20/a                             | 20 - 200 ppm                                          | 7                                  | 8103591    |
| Natural Gas Odorization,<br>Tertiary Butylmercaptan | 3 - 15 mg/m <sup>3</sup><br>1 - 10 mg/m <sup>3</sup>  | 3<br>5                             | 8103071    |
| Natural Gas Test (5)                                | qualitative                                           | 100 s                              | CH20001    |
| n-Butanol 10/a                                      | 10 - 250 ppm                                          | 6                                  | 8103861    |
|                                                     | 250 - 2000 ppm                                        | 1                                  |            |
| Nickel Tetracarbonyl 0.1/a (9)                      | 0.1 - 1 ppm                                           | 5                                  | CH19501    |
| Nitric Acid 1/a                                     | 5 - 50 ppm                                            | 2                                  | 6728311    |
|                                                     | 1 - 15 ppm                                            | 4                                  |            |
| Nitrogen Dioxide 0.1/a                              | 0.1 - 5 ppm                                           | 75 s                               | 8103631    |
|                                                     | 5 - 30 ppm                                            | 15 s                               |            |
| Nitrogen Dioxide 2/c                                | 5 - 100 ppm                                           | 1                                  | 6719101    |
|                                                     | 2 - 50 ppm                                            | 2                                  |            |
| Nitrous Fumes 0.2/a                                 | 0.2 - 6 ppm                                           | 75 s                               | 8103661    |
| Nitrous Fumes 2/a                                   | 5 - 100 ppm                                           | 1                                  | CH31001    |
|                                                     | 2 - 50 ppm                                            | 2                                  |            |
| Nitrous Fumes 20/a                                  | 20 - 500 ppm                                          | 30 s                               | 6724001    |
| Nitrous Fumes 50/b                                  | 50 - 1,000 ppm                                        | 40 s                               | 8103941    |
|                                                     | 500 - 4,000 ppm                                       | 80 s                               |            |
| Oil 10/a-P                                          | 0.1 - 1 mg/m <sup>3</sup>                             | 25                                 | 6728371    |
| Oil Mist 1/a                                        | 1 - 10 mg/m <sup>3</sup>                              | 25                                 | 6733031    |
| Olefine 0.05%/a                                     |                                                       | 5                                  | CH31201    |
| - Propylene                                         | 0.06 - 3.2 Vol.-%                                     |                                    |            |
| - Butylene                                          | 0.04 - 2.4 Vol.-%                                     |                                    |            |
| Organ. Arsenic Compounds<br>and Arsine              | 0.3 mg/m <sup>3</sup> as AsH <sub>3</sub>             | 3                                  | CH26303    |
| Organic Basic Nitrogen Compounds                    | 1 mg/m <sup>3</sup><br>threshold value                | 1.5                                | CH25903    |



| Dräger-Tubes<br>Description     | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|---------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Oxygen 5%/B (8)                 | 5 - 23 Vol.-%                                         | 1                                  | 6728081    |
| Oxygen 5%/C                     | 5 - 23 Vol.-%                                         | 1                                  | 8103261    |
| Ozone 0.05/b                    | 0.05 - 0.7 ppm                                        | 3                                  | 6733181    |
| Ozone 10/a                      | 20 - 300 ppm                                          | 20 s                               | CH21001    |
| Pentane 100/a                   | 100 - 1,500 ppm                                       | 15 s                               | 6724701    |
| Perchloroethylene 0.1/a         | 0.5 - 4 ppm<br>0.1 - 1 ppm                            | 3<br>9                             | 8101551    |
| Perchloroethylene 2/a           | 20 - 300 ppm<br>2 - 40 ppm                            | 30 s<br>3                          | 8101501    |
| Petroleum Hydrocarbons 10/a     | 10 - 300 ppm                                          | 1                                  | 8101691    |
| Petroleum Hydrocarbons 100/a    | 100 - 2,500 ppm                                       | 30 s                               | 6730201    |
| Phenol 1/b                      | 1 - 20 ppm                                            | 5                                  | 8101641    |
| Phosgene 0.02/a                 | 0.02 - 1 ppm<br>0.02 - 0.6 ppm                        | 6<br>12                            | 8101521    |
| Phosgene 0.05/a                 | 0.04 - 1.5 ppm                                        | 11                                 | CH19401    |
| Phosgene 0.25/c                 | 0.25 - 5 ppm<br>0.01 - 0.3 ppm                        | 1<br>8                             | CH28301    |
| Phosphine 0.01/a                | 0.1 - 1 ppm<br>0.01 - 0.3 ppm                         | 2.5<br>8                           | 8101611    |
| Phosphine 0.1/c                 | 0.5 - 3 ppm<br>0.1 - 1.0 ppm                          | 1<br>2.5                           | 8103711    |
| Phosphine 0.1/b<br>in Acetylene | 1 - 15 ppm<br>0.1 - 1 ppm                             | 20 s<br>4                          | 8103341    |
| Phosphine 1/a                   | 10 - 100 ppm<br>1 - 20 ppm                            | 2<br>10                            | 8101801    |
| Phosphine 25/a                  | 200 - 10,000 ppm<br>25 - 900 ppm                      | 1.5<br>13                          | 8101621    |
| Phosphine 50/a                  | 50 - 1,000 ppm                                        | 2                                  | CH21201    |
| Phosphoric Acid Ester 0.05/a    | 0.05 ppm                                              | 5                                  | 6728461    |
| Polytest                        | qualitative                                           | 1.5                                | CH28401    |
| Pyridine 5/A                    | 5 ppm                                                 | 20                                 | 6728651    |
| Styrene 10/a                    | 10 - 200 ppm                                          | 3                                  | 6723301    |
| Styrene 10/b                    | 10 - 250 ppm                                          | 3                                  | 6733141    |
| Styrene 50/a                    | 50 - 400 ppm                                          | 2                                  | CH27601    |
| Sulphur Dioxide 0.1/a           | 0.1 - 3 ppm                                           | 20                                 | 6727101    |
| Sulphur Dioxide 0.5/a           | 1 - 25 ppm<br>0.5 - 5 ppm                             | 3<br>6                             | 6728491    |
| Sulphur Dioxide 1/a             | 1 - 25 ppm                                            | 3                                  | CH31701    |
| Sulphur Dioxide 20/a            | 20 - 200 ppm                                          | 3                                  | CH24201    |
| Sulphur Dioxide 50/b            | 400 - 8,000 ppm<br>50 - 500 ppm                       | 15 s<br>3                          | 8101531    |



| Dräger-Tubes<br>Description     | standard range<br>of measurement<br>[20 °C, 1013 hPa] | measurement<br>time<br>[s or min.] | order code |
|---------------------------------|-------------------------------------------------------|------------------------------------|------------|
| Sulphuric Acid 1/a (9)          | 1 - 5 mg/m <sup>3</sup>                               | 100                                | 6728781    |
| Sulfuryl Fluoride 1/a (5)       | 1 - 5 ppm                                             | 3                                  | 8103471    |
| Tertiary Butylmercaptan         | 3 - 15 mg/m <sup>3</sup>                              | 3                                  | 8103071    |
| Natural Gas Odorization         | 1 - 10 mg/m <sup>3</sup>                              | 5                                  |            |
| Tetrahydrothiophene 1/b (5)     | 1 - 10 ppm                                            | 10                                 | 8101341    |
|                                 | 4 - 40 mg/m <sup>3</sup>                              |                                    |            |
| Thioether                       | 1 mg/m <sup>3</sup>                                   | 1.5                                | CH25803    |
|                                 | threshold value                                       |                                    |            |
| Toluene 5/b                     | 50 - 300 ppm                                          | 2                                  | 8101661    |
|                                 | 5 - 80 ppm                                            | 10                                 |            |
| Toluene 50/a                    | 50 - 400 ppm                                          | 1.5                                | 8101701    |
| Toluene 100/a                   | 100 - 1,800 ppm                                       | 1.5                                | 8101731    |
| Toluene Diisocyanate 0.02/A (9) | 0.02 - 0.2 ppm                                        | 20                                 | 6724501    |
| Trichloroethane 50/d (5)        | 50 - 600 ppm                                          | 2                                  | CH21101    |
| Trichloroethylene 2/a           | 20 - 250 ppm                                          | 1.5                                | 6728541    |
|                                 | 2 - 50 ppm                                            | 2.5                                |            |
| Trichloroethylene 50/a          | 50 - 500 ppm                                          | 1.5                                | 8101881    |
| Triethylamine 5/a               | 5 - 60 ppm                                            | 3                                  | 6718401    |
| Vinyl Chloride 0.5/b            | 5 - 30 ppm                                            | 30 s                               | 8101721    |
|                                 | 0.5 - 5 ppm                                           | 3                                  |            |
| Vinyl Chloride 100/a            | 100 - 3,000 ppm                                       | 4                                  | CH19601    |
| Water Vapour 0.1                | 1 - 40 mg/L                                           | 2                                  | CH23401    |
| Water Vapour 0.1/a              | 0.1 - 1.0 mg/L                                        | 1.5                                | 8101321    |
| Water Vapour 3/a                | 3.0 - 60 lbs/mmcf                                     | 90 s                               | 8103031    |
| Water Vapour 1/b                | 20 - 40 mg/L                                          | 20 s                               | 8101781    |
|                                 | 1 - 8 mg/L                                            | 40 s                               |            |
| Xylene 10/a                     | 10 - 400 ppm                                          | 1                                  | 6733161    |